



SHIBUSA



PORCELAIN TILE

COLORS

DECOS




Bianco



24" x 24"
Intarsio*



12" x 12"
Intreccio



12" x 12"
Losanga



12" x 24"
Fascia Texture Intarsio*



12" x 24"
Bacchette



9" x 10"
Esagona



Grigio



24" x 24"
Intarsio*



12" x 12"
Intreccio



12" x 12"
Losanga



12" x 24"
Fascia Texture Intarsio*



12" x 24"
Bacchette



9" x 10"
Esagona



Wenge



24" x 24"
Intarsio*



12" x 12"
Intreccio



12" x 12"
Losanga



12" x 24"
Fascia Texture Intarsio*



12" x 24"
Bacchette



9" x 10"
Esagona



Beige



24" x 24"
Intarsio*



12" x 12"
Intreccio



12" x 12"
Losanga



12" x 24"
Fascia Texture Intarsio*



12" x 24"
Bacchette



9" x 10"
Esagona



Crema



24" x 24"
Intarsio*



12" x 12"
Intreccio



12" x 12"
Losanga



12" x 24"
Fascia Texture Intarsio*



12" x 24"
Bacchette



9" x 10"
Esagona



Tortora



24" x 24"
Intarsio*



12" x 12"
Intreccio



12" x 12"
Losanga



12" x 24"
Fascia Texture Intarsio*









12" x 24"
Bacchette



9" x 10"
Esagona

AVAILABLE SIZES



9" x 10"
Hexagon

* Texture Intarsio available in 24" x 24"

FINISH

MATTE RECTIFIED

THICKNESS

10 mm

TRIM

3" x 24" Bullnose
12" x 48" Stair Tread


INSTALLATION & MAINTENANCE

Recommended Grout Size - 1/8"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.



TECHNICAL DATA



D.C.O.F.
WET

≥ 0.42

ANSI 137.1

WATER
ABSORPTION

≤ 0.1%

ISO 10545-3

CHEMICAL
RESISTANCE

A-LA-HA

ISO 10545-13

FROST
RESISTANCE

RESISTANT

ISO 10545-12

BREAKING
STRENGTH

S ≥ 1300 N

ISO 10545-4

ABRASION
RESISTANCE

CLASS 4

ISO 10545-7

