



WOODEN TILE



PORCELAIN TILE

COLORS



Wooden White



Wooden Almond



Wooden Gray



Wooden Walnut




Wooden Brown

DECO



32" x 32" Deco
Wooden White



32" x 32" Deco
Wooden Gray



32" x 32" Deco
Wooden Almond



32" x 32" Deco
Wooden Walnut



32" x 32" Deco
Wooden Brown




2" x 2" Mosaic
Wooden White




2" x 2" Mosaic
Wooden Gray



2" x 2" Mosaic
Wooden Almond



2" x 2" Mosaic
Wooden Walnut



2" x 2" Mosaic
Wooden Brown



2" x 2" 3D Mosaic
Wooden White



2" x 2" 3D Mosaic
Wooden Gray



2" x 2" 3D Mosaic
Wooden Almond



2" x 2" 3D Mosaic
Wooden Walnut



2" x 2" 3D Mosaic
Wooden Brown



8" x 24" Listello
Wooden White



8" x 24" Listello
Wooden Gray



8" x 24" Listello
Wooden Almond



8" x 24" Listello
Wooden Walnut



8" x 24" Listello
Wooden Brown

WOODEN TILE

AVAILABLE SIZES

10^{1/2}" x 71"

8" x 48"

6" x 48"

FINISH

MATTE PRESSED

THICKNESS

10 mm

TRIM


2" x 24" Bullnose
6" x 12" Stair Tread
13" x 47" Stair Tread

INSTALLATION & MAINTENANCE

Recommended Grout Size - 3/16"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
≤ 0.08%
ISO 10545-3

CHEMICAL
RESISTANCE
UHA-ULA-UA
ISO 10545-13

FROST
RESISTANCE
RESISTANT
ISO 10545-12

BREAKING
STRENGTH
S ≥ 3200 N
ISO 10545-4

DEEP
ABRASION
140 mm³
ISO 10545-6



