




ADONIS



PORCELAIN TILE

COLORS



Nero Venato



Arabescato



Calacatta Paonazzo




Statuarietto



Paradiso Argento



Carrara Gioia



Onyx Nuvolato



Statuario Nuovo



Travertino Instrata*

* Color not available in 32" x 32" or 24" x 24"

DECOS

2" x 2" Mosaic



Nero Venato



Arabescato



Calacatta Paonazzo




Statuarietto



Paradiso Argento



Carrara Gioia



Onyx Nuvolato



Statuario Nuovo



Travertino Instrata

6" Hexagon Mosaic



Nero Venato



Arabescato



Calacatta Paonazzo



Statuarietto



Paradiso Argento



Carrara Gioia



Onyx Nuvolato



Statuario Nuovo




Travertino Instrata


2" Hexagon Mosaic




Nero Venato




Arabescato




Calacatta Paonazzo



Statuarietto



Paradiso Argento



Carrara Gioia



Onyx Nuvolato



Statuario Nuovo



Travertino Instrata

Modella Mosaic - Only Available in colors shown below.



Arabescato



Calacatta Paonazzo



Paradiso Argento



Statuarietto



Carrara Gioia



Statuario Nuovo

Picco Mosaic - Only Available in colors shown below.



Arabescato



Calacatta Paonazzo



Paradiso Argento



Statuarietto




Carrara Gioia



Statuario Nuovo

AVAILABLE SIZES



FINISH

MATTE RECTIFIED
POLISHED RECTIFIED

THICKNESS

8mm | 9mm | 10mm | 11.5mm
 32" x 32" - Thickness 11.5 mm
 24" x 48" - Thickness 10 mm
 24" x 24" - Thickness 9 mm
 12" x 24" - Thickness 8 mm

TRIM

3" x 12" Bullnose


INSTALLATION & MAINTENANCE

Recommended Grout Size - 1/8"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.



TECHNICAL DATA

	<p>D.C.O.F. WET</p> <p>Polished < 0.42 Honed > 0.45</p> <p>ANSI B101.3</p>	<p>WATER ABSORPTION</p> <p>≤ 0.5%</p> <p>ISO 10545-3</p>	<p>CHEMICAL RESISTANCE</p> <p>CL. A-RES</p> <p>ISO 10545-13</p>	<p>FROST RESISTANCE</p> <p>RESISTANT</p> <p>ISO 10545-12</p>	<p>BREAKING STRENGTH</p> <p>≥ 360 LBF</p> <p>ISO 10545-4</p>	<p>ABRASION RESISTANCE</p> <p>4</p> <p>ISO 10545-7</p>
---	--	---	--	---	---	---



HANDMADE IN ITALY